

This tip sheet introduces the types of trauma that young children may experience, the common ways that young children express traumatic responses, and the protective factors that can help children recover from trauma.

WHAT IS TRAUMA?

Children and adults experience different kinds of stressful events every day. Some stress is *positive*, like the rush of nerves we feel before an exam that leads us to study. Some stressors are bigger but still *tolerable*, like getting a shot at the doctor while a parent holds our hand. We are able to cope with these stressful events using automatic and learned strategies, like our “fight-or-flight” response or seeking out social support. However, some stressful events are difficult to quickly “bounce back” from: these experiences are called toxic stress.

How do we know if a stressor is going to be tolerable or toxic? Some events might be *stressful* for one person, but *traumatic* for another. This is because we’re not all in the same boat! Two families might face the same stressful event but have very different resources available to them. Some families have many resources that help them to endure stressful events, while others have fewer resources to help them in times of stress. The resources that we each have, such as supportive relationships, meaningful cultural and spiritual connections, and financial means are different, meaning that two children could experience the same event in very different ways.

Trauma has been defined as “the emotional, psychological, and physiological residue left over from heightened levels of toxic stress” (Zero to Three, 2016). This means that **trauma affects our emotions, thoughts, brains, and bodies**. Responses to trauma can last long after the danger has passed because our brains are trying to protect us from any future harm.



Stressful events may be thought of as a storm. We may each experience the storm differently, depending upon the number of resources and protective factors we each have - this is represented by the size of our boat. What is stressful for one person may be traumatic for another.

CAN INFANTS AND YOUNG CHILDREN BE “TRAUMATIZED”?

Many adults assume that because we don’t remember what happened to us as infants or young children, or because young children cannot always verbalize what they are experiencing, that young children are protected against trauma (Zeanah & Zeanah, 2009). This could not be further from the truth! In fact, **research has shown that early life trauma can have lasting effects on the way children learn and grow**. Young children who experience trauma are more likely to have mental health problems (Cicchetti & Toth, 2016) and to show delays in their thinking, language, and learning (Toth & Manly, 2019).

TYPES OF TRAUMA YOUNG CHILDREN EXPERIENCE

Young children can experience the same types of trauma that older children and adults can, but some traumas are more likely to occur in the early years (Fantuzzo & Fusco, 2007; Grossman, 2000; U.S. DHHS, 2022) because young children are particularly vulnerable and dependent on their caregivers (National Child Traumatic Stress Network, 2010).

Common traumatic experiences among infants and young children include:

- Child abuse or maltreatment
- Witnessing intense arguments or fighting between family members
- Lengthy separations from important adults, perhaps due to foster care, incarceration, or illness
- Accidents and injuries that result in hospitalization
- Major unexpected events, like natural disasters or the COVID-19 pandemic
- Witnessing or learning about a caregiver's experience of trauma

Over 1 in 4 children suffer at least one major stressor by age three (Keating & Heinemeier, 2022). What's more, children who experience one trauma are even more likely to experience trauma again in the future.

HOW YOUNG CHILDREN ARE AFFECTED BY TRAUMA

We know that early trauma can have lifelong effects. Why? Infants' and young children's brains are still developing, which makes them vulnerable. This means that early traumas affect the way that children's brains and bodies grow.

Trauma can have invisible effects on children. For example, children who experience trauma in the first years of life have different physiological responses to everyday stress (Doom & Gunnar, 2013), perhaps because their brains are trying to protect them against danger like they experienced before.

Every child expresses trauma differently, but common signs include those outlined in the following table (Adapted from DC:0-5; ZERO TO THREE, 2018).

Common symptoms and behaviors associated with trauma

Infants and Toddlers (0 - 2 years old)

- Slow development of language
- Slow development of motor skills
- Increased crying or fussiness
- Difficulty being consoled
- Greater fear when separated from caregivers
- Seeming "worried" or "on alert"
- Difficulty with falling or staying asleep

Young Children (3 - 6 years old)

- Quickly escalating tantrums or aggression
- Acting out in busy environments
- Imitating traumatic events in play or social situations
- Difficulty focusing or learning
- "Zoning out" or not noticing what is going on around them
- Unexplained stomachaches and headaches
- Having trouble building relationships with adults and peers
- Frequent nightmares

Introducing It: Understanding and Recognizing the Effect of Trauma on Young Children

Center for Early Education
and Development

UNIVERSITY OF MINNESOTA

PROTECTIVE FACTORS

Some children have access to protective factors that help them recover from stressful or traumatic experiences. Protective factors are parts of the child's world that help them regulate their emotions, prevent trauma, and recover from toxic stress or trauma. Some of the most important protective factors include close relationships with caregivers and family members, positive caregiver mental health, and safety and stability in the child's environment. Many of these protective factors can be increased to decrease stress and promote positive developmental processes for all children!

DEFINING IT

Trauma

The emotional, psychological, and physiological residue left over from heightened levels of toxic stress

Protective factors

Parts of a child's world that help them regulate their emotions, prevent trauma, and recover from toxic stress or trauma

DIVING INTO IT

For additional information on this topic,

Visit the National Child Traumatic Stress Network's website: <http://www.nctsn.org/>

Please visit CEED's website: <http://cehd.umn.edu/ceed>

Check out the tip sheets on challenging behavior in young children: <https://z.umn.edu/stressbehaviors>

REFERENCES

Cicchetti, D., & Toth, S. L. (2016). Child maltreatment and developmental psychopathology: A multilevel perspective. In D. Cicchetti (Ed.), *Developmental psychopathology* (pp. 1–56). John Wiley & Sons. <https://doi.org/10.1002/9781119125556.devpsy311>

Doom, J. R., & Gunnar, M. R. (2013). Stress physiology and developmental psychopathology: Past, present, and future. *Development and Psychopathology*, 25, 1359–1373. <https://doi.org/10.1017/S0954579413000667>

Fantuzzo, J., & Fusco, R. (2007). Children's direct exposure to types of domestic violence crime: A population-based investigation. *Violence and Victims*, 22, 158–171. <https://doi.org/10.1007/s10896-007-9105-z>

Grossman, D. C. (2000). The history of injury control and the epidemiology of child and adolescent injuries. *Future of Children: Unintentional Injuries in Childhood*, 10, 23–52. <https://doi.org/10.2307/1602824>

Keating, K., & Heinemeier, S. (2022). *State of the babies yearbook: 2022. ZERO TO THREE*. <https://stateofbabies.org/>

National Child Traumatic Stress Network. (2010). *Early childhood trauma*. http://www.nctsn.org/sites/default/files/assets/pdfs/nctsn_earlychildhoodtrauma_08-2010final.pdf

Toth, S. L., & Manly, J. T. (2019). Developmental consequences of child abuse and neglect: Implications for intervention. *Child Development Perspectives*, 13, 59–64. <https://doi.org/10.1111/cdep.12317>

U.S. Department of Health & Human Services, Administration for Children and Families, Administration on Children, Youth, and Families, Children's Bureau. (2022). *Child Maltreatment 2020*. <https://www.acf.hhs.gov/cb/data-research/child-maltreatment>

Zeanah, C. H., & Zeanah, P. D. (2009). The scope of infant mental health. In C. H. Zeanah (Ed.), *Handbook of infant mental health* (3rd ed., pp. 5–21). Guilford Press.

ZERO TO THREE. (2016, March 7). *Trauma and toxic stress*. <https://www.zerotothree.org/resource/trauma-and-toxic-stress/>

ZERO TO THREE. (2018). *DC:0-5: Diagnostic classification of mental health and developmental disorders of infancy and early childhood*. ZERO TO THREE.

Copyright © 2023 by Center for Early Education and Development, University of Minnesota. Suggested citation: Sophia Magro, Center for Early Education and Development (2023). Introducing it: Understanding and recognizing the effect of trauma on young children. Minneapolis MN: University of Minnesota.